

HEADWALLS FOR CIRCULAR PIPE

DIMEN- SIONS	DIAMETER - (D)									
	18"	21"	24"	27"	30"	36"	42"	48"	54"	60"
B	2'-10"	3'-1"	3'-4"	3'-7"	4'-2"	4'-8"	5'-2"	5'-8"	6'-2"	6'-10"
C	2'-7"	2'-11"	3'-4"	3'-8"	4'-5"	5'-2"	5'-11"	6'-8"	7'-5"	8'-4"
H	3'-0"	3'-3"	3'-6"	3'-9"	4'-0"	4'-6"	5'-0"	5'-6"	6'-0"	6'-6"
h	1'-0"	1'-0"	1'-0"	1'-0"	1'-3"	1'-6"	1'-9"	2'-0"	2'-3"	2'-6"
L	5'-6"	6'-0"	6'-6"	7'-0"	8'-0"	9'-0"	10'-3"	11'-6"	12'-9"	14'-0"
K	-	-	-	-	-	-	-	-	1'-0"	2'-0"

HEADWALLS FOR CIRCULAR PIPE

DIMEN- SIONS	DIAMETER - (D)	
	66"	72"
B	7'-6"	8'-0"
C	9'-1"	9'-10"
H	7'-0"	7'-6"
h	2'-9"	3'-0"
L	15'-3"	16'-6"
K	3'-0"	4'-0"

THIS DETAIL WAS TAKEN FROM THE CITY OF ATLANTA'S WEBSITE. IT MAY HAVE BEEN MODIFIED AND SHOULD BE REVIEWED THOROUGHLY.

City of Atlanta
Department of Public Works



STANDARD DETAILS

TYPE C HEADWALL SHEET 3 OF 3

DATE: SEPT 2011
ORIG. DATE: JULY 1984
SCALE: N.T.S.

DETAIL NO. SW-G_HW004